

**WILEY X<sup>®</sup>**

# DECLARATIONS OF CONFORMITY

Table of Contents

Revision History ..... 1

ANSI Z87.1 Compliant Models..... 2

ASTM F803 Compliant Models ..... 3

BS 5883 Compliant Models..... 3

MIL-PRF-32432(GL) Compliant Models ..... 4

MIL-PRF-32432A Compliant Models ..... 5

CE Category I Personal Protective Equipment (EN 166 & UKCA) Compliant Models ..... 6

CE Category II Personal Protective Equipment (EN 166 & UKCA) Certified Models..... 7

AS/NZS 1337.1 Certified Models ..... 8

CSA Z94.3 Compliant Models ..... 9

ASTM D6413-08, ASTM F1790-05, EN 388:2003, NFPA 1971-07 2007 Compliant Models ..... 10

Safety Standards ..... 11

Final Declaration ..... 12

**Revision History**

Rev.	Change	Approved By	Date
0	Original Release	Bret Bradford	1/22/2020
1	Added: all frame variants of WX Contour, WX Epic and WX Profile to Canadian Safety Compliant Models DoC	Bret Bradford	1/24/2020
2	Removed: DVX Charge from Canadian Safety Compliant Models DoC	Bret Bradford	1/28/2020
3	Updated: test status of Black Ops items	Bret Bradford	2/6/2020
4	Added: WX Valor, WX Saint, WX Saint Alternative Fit, WX Twisted Alternative Fit and WX Shadow Alternative Fit to Black Ops DoC  Added: Lens Variants, *Not all lens variants associated with the part number are certified. † Product is exclusive to Wiley X EMEA. NOTE: Multiple frame colors may be used for each model to Australia and New Zealand Safety Certified Models DoC for clarification on part numbers referenced.  Added: CCBOS09, CCBOS12, CCWAV10, ACOME04 and SSTWI01 to CSA Z94.3 DoC.	Bret Bradford	4/1/2020
5	Removed: ASTM D3787-01 and MIL-DTL-81188C from Glove DoC.	Bret Bradford	4/16/2020
6	Changed: ACOME05 to ACOME06	Bret Bradford	6/22/2020
7	Removed: Discontinued items Added: New products Reformatted for ease of use.	Bret Bradford	12/27/2020
8	Added: CCGRA03 and CCGRA05 to Black Ops ballistic.	Bret Bradford	7/28/2021
9	Added: HD Cogs and HD Gears to Harley Davidson	Bret Bradford	9/3/2021
10	Reorganized document to separate by testing standard and Certification status	Bret Bradford	9/10/2021
11	Added: Models are only compliant with CSA Z94.3 when permanent side shields are affixed to the products.	Bret Bradford	9/29/2021

## ANSI Z87.1

WILEY X, INC. declares that the following eyewear models and their associated lens variants are compliant with **ANSI Z87.1** American National Standard Occupation and Educational Personal Eye and Face Protection Devices and **US Federal OSHA 1910.133(a)**.

### Wiley X - Climate Control Series

AirRage	WX Boss	WX Breach	Brick	WX Compass	WX Enzo
WX Gravity	WX Sleek	WX Tide	WX Wave		

---

### Wiley X - Active Lifestyle Series

WX Aspect	WX Censor	WX Climb	WX Contend	WX Hayden	WX Ignite
WX Kingpin	WX Klein	WX Kobe	WX Nash	WX Omega	P-17
WX Peak	WX Rebel	Slay	WX Twisted	WX Vallus	

---

### Wiley X - Active 6 Series

WX Helix	WX Ovation
----------	------------

---

### Wiley X - Women's Series

WX Affinity	WX Glory	WX Mystique	WX Weekender
-------------	----------	-------------	--------------

---

### Wiley X - Changeable Series

WX Detection	Guard Advanced	PT-1	WX Rogue Comm	Romer 3	Saber Advanced
WX Saint	WX Valor (2.2mm)	WX Valor (2.5mm)	WX Vapor (2.5mm)	WX Vapor Comm (2.5mm)	XL-1 Advanced
XL-1 Advanced Comm					

---

### Wiley X - Alternative Fit Series

WX Rebel	WX Saint	SG-1M	WX Shadow	WX Twisted
----------	----------	-------	-----------	------------

---

### Wiley X - Work Sight Series

WX Axis	WX Contour	WX Epic	WX Fusion	WX Judge	WX Profile
WX Serenity	WX Virtue				

---

### Wiley X - Youth Force Ophthalmic Series

WX Bounce	WX Leap	WX Flip	WX Split
-----------	---------	---------	----------

---

### Wiley X - Tactical Series

SG-1	Spear	Spear Dual	Nerve
------	-------	------------	-------

---

### DVX

Axon	Charge	Detour	Edge	Intercept	Mojave
Next	Noise	Oculus	Outline	Rage	Spoiler
Static					

---

### Harley Davidson - Climate Control Series

HD Cogs	HD Curve	HD Gem	HD Gravity	HD Jet	HD Journey
HD Jumbo	HD Rage-X	HD Shadow	HD Tank	HD Tunnel	

---

ANSI compliant models continued on next page.

**Harley Davidson - Asphalt Series**

HD 4 Stroke	HD Baffle	HD Bend	HD Burnout	HD Cruise 2	HD Drag
HD Drive 2	HD Gears	HD Hoops	HD Keys	HD Kicker	HD Pipes
HD Silencer	HD Slick	HD Tat	HD Tori	HD Twin	

---

**John Deere**

Hitch	Torque	Traction
-------	--------	----------

**ASTM F803**

WILEY X, INC. declares that the following eyewear models and their associated lens variants are compliant with **ASTM F803** Standard Specification for Eye Protectors for Selected Sports.

**Wiley X - Youth Force Sport Series**

WX Agile	WX Crush	WX Fierce	WX Flash	WX Gamer	WX Victory
----------	----------	-----------	----------	----------	------------

---

**BS 5883**

WILEY X, INC. declares that the following eyewear models and their associated lens variants are compliant with **BS 5883** Specification for Surface swimming goggles.

**Wiley X - Youth Force Sports Series**

WX Propulsion
---------------

---

## MIL-PRF-32432(GL)

WILEY X, INC. declares that the following eyewear models and their associated lens variants are compliant with **4.4.3.3.4** Ballistic fragmentation protection, Class 1, **4.4.3.3.5** Ballistic fragmentation protection, Class 2, and Class 3, or **4.4.3.3.6** Universal Prescription Lens Carrier (UPLC)/adaptors ballistic fragmentation protection Class 1a, Class 2a and Class 3a of **MIL-PRF-32432(GL)** Performance Specification Military Combat Eye Protection (MCEP) System of 9 January 2013.

### Wiley X - Black Ops Collection

Model Name	Part Number
WX Breach	CCBRH01
WX Compass	CCCMP01
WX Enzo	CCENZ01
WX Gravity	CCGRA01, CCGRA08
WX Wave	CCWAV01
WX Censor	SSCEN08
WX Contend	ACCNT01
WX Ignite	ACIGN01
WX Nash	ACNAS01
WX Omega	ACOME08
P-17	P-17M
WX Rebel	ACREB01
Slay	ACSLA01
WX Twisted	SSTWI01
WX Rebel (Alt. Fit)	ACREB01ALT, ACREB08ALT
WX Saint (Alt Fit)	CHSAI01ALT, CHSAI08ALT
WX Shadow (Alt Fit)	CCSHA01ALT, CCSHA08ALT
WX Twisted (Alt Fit)	SSTWI01ALT, SSTWI08ALT
WX Saint	CHSAI08
WX Valor (2.2mm)	CHVAL01, CHVAL08

---

### Wiley X - Changeable Series

WX Guard Advanced	PT-1*	WX Rogue Comm*	Saber Advanced*	WX Saint	WX Valor (2.2mm)
----------------------	-------	-------------------	-----------------	----------	------------------

---

### Wiley X - Tactical Series

SG-1	Nerve**
------	---------

---

\*Models are compliant with 4.4.3.3.6 Universal Prescription Lens Carrier (UPLC)/adaptors ballistic fragmentation protection Class 1a, Class 2a and Class 3a, utilizing PTX RX Carrier

\*\* Models are compliant with 4.4.3.3.5 Ballistic fragmentation protection, Class 2 and Class 3, or 4.4.3.3.6 Universal Prescription Lens Carrier (UPLC)/adaptors ballistic fragmentation protection Class 1a, Class 2a and Class 3a, utilizing PTX RX Carrier

**MIL-PRF-32432A**

WILEY X, INC. declares that the following eyewear models and their associated lens variants are compliant with 4.8.4 Ballistic fragmentation protection, Class 1, 4.8.5 Ballistic fragmentation protection, Class 2, and Class 3 or 4.8.6 Universal prescription lens carrier (UPLC)/adaptors ballistic fragmentation protection (Style U only) of **MIL-PRF-32432(A)** Performance Specification Military Combat Eye Protection (MCEP) System of 11 September 2018.

**Wiley X - Black Ops Collection**

<b>Model Name</b>	<b>Part Number</b>
WX Climb	ACCLM01
WX Valor (2.5mm)*	CHVAL01, CHVAL08

---

**Wiley X - Changeable Series**

Romer 3**†	WX Vapor (2.5mm)*†	WX Vapor Comm (2.5mm)*†	XL-1 Advanced**†	XL-1 Advanced Comm**†
------------	-----------------------	----------------------------	---------------------	--------------------------

---

**Wiley X - Tactical Series**

Spear*†	Spear Dual*†
---------	--------------

---

\* Models are compliant with 4.4.3.3.6 Universal Prescription Lens Carrier (UPLC)/adaptors ballistic fragmentation protection Class 1a, Class 2a and Class 3a, utilizing Twistlock RX Carrier

\*\* Models are compliant with 4.8.4 Ballistic fragmentation protection, Class 1

† Models are compliant with all Optical and Environmental requirements of MIL-PRF-32432A.

**CE Category I Personal Protective Equipment (EN 166 and UKCA Compliant)**

WILEY X, INC. declares that the following eyewear models and their associated lens variants are compliant with European Standard **EN 166** Personal Eye-Protection Specification and **UKCA** (UK Conformity Assessed).

**Wiley X - Active 6 Series**

WX Helix

WX Ovation

---

## CE Category II Personal Protective Equipment (EN 166 and UKCA Certified)

WILEY X, INC. declares that the following eyewear models and their associated lens variants are CE certified to European Standard **EN 166** Personal Eye-Protection Specification and **UKCA** (UK Conformity Assessed).

### Wiley X - Climate Control Series

WX Boss	WX Breach	WX Gravity	WX Tide	WX Wave
---------	-----------	------------	---------	---------

---

### Wiley X - Active Lifestyle Series

WX Aspect	WX Climb	WX Contend	WX Kingpin	WX Omega	WX Peak
-----------	----------	------------	------------	----------	---------

---

### Wiley X - Women's Series

WX Affinity	WX Mystique	WX Weekender
-------------	-------------	--------------

---

### Wiley X - Changeable Series

WX Detection	WX Rogue Comm	Saber Advanced	WX Saint	WX Valor (2.5mm)	WX Vapor (2.5mm)
WX Vapor Comm (2.5mm)	XL-1 Advanced Comm				

---

### Wiley X - Goggle Series

Spear	Spear Dual	Nerve
-------	------------	-------

---

### Harley Davidson - Climate Control Series

HD Cogs	HD Gem	HD Gravity	HD Jet	HD Journey	HD Jumbo
HD Rage-X	HD Tank	HD Tunnel			

---

### Harley Davidson - Asphalt Series

HD 4 Stroke	HD Baffle	HD Bend	HD Burnout	HD Cruise 2	HD Drag
HD Drive 2	HD Gears	HD Hoops	HD Keys	HD Kicker	HD Silencer
HD Slick	HD Tat	HD Tori	HD Twin		

---



**AS/NZS 1337.1**

WILEY X, INC. declares that the following eyewear models and their associated lens variants are certified to **AS/NZS 1337.1** Australian/New Zealand Standard Personal eye protection Part 1: Eye and face protectors for occupational applications.

<b>Model</b>	<b>Lens Variants</b>
--------------	----------------------

**Wiley X - Climate Control Series**

WX Gravity	Clear, Smoke Grey, Light Adjusting Smoke Grey
WX Wave	Clear, Smoke Grey

---

**Wiley X - Active Lifestyle Series**

WX Climb	Smoke Grey, Captivate Polarized Red Mirror, Captivate Polarized Blue Mirror, Captivate Polarized Bronze Mirror
WX Omega	Smoke Grey, Polarized Crimson Mirror, Polarized Platinum Flash
WX Twisted	Smoke Grey, Polarized Smoke Grey

---

**Wiley X - Active 6 Series**

WX Helix	Smoke Grey, Captivate Polarized Green Mirror, Captivate Polarized Blue Mirror, Captivate Polarized Bronze Mirror
WX Ovation	Smoke Grey, Captivate Polarized Green Mirror, Captivate Polarized Blue Mirror, Captivate Polarized Rose Gold Mirror

---

**Wiley X - Changeable Series**

Saber Advanced	Clear, Smoke Grey, Yellow
WX Rogue Comm (2.2mm)	Clear, Smoke Grey
Romer 3 (2.2mm)	Clear, Smoke Grey
Romer 3 (2.5mm)	Clear, Smoke Grey
WX Valor (2.2mm)	Clear, Smoke Grey, Polarized Smoke Grey
WX Valor (2.5mm)	Clear, Smoke Grey, Polarized Smoke Grey
WX Vapor (Medium 2.2mm)	Clear, Smoke Grey, Polarized Smoke Grey
WX Vapor (Medium 2.5mm)	Clear, Smoke Grey, Yellow, Polarized Smoke Grey
XL-1 Advanced (2.2mm)	Clear, Smoke Grey
XL-1 Advanced (2.5mm)	Clear, Smoke Grey

---

**Wiley X - Tactical Series**

Spear	Clear, Smoke Grey
Spear (Stainless Steel Vents)	Clear, Smoke Grey

---

### CSA Z94.3

WILEY X, INC. declares that the following eyewear models, their associated part numbers are compliant with **CSA Z94.3** National Standard of Canada Eye and Face Protectors.

#### Wiley X - Climate Control Series

AirRage	693, 694, 698
WX Boss	CCBOS01, CCBOS03, CCBOS03D, CCBOS06, CCBOS09, CCBOS12
WX Breach	CCBRH01, CCBRH03, CCBRH04, CCBRH12
WX Sleek	CCSLE01, CCSLE02, CCSLE03
WX Tide	CCTID01, CCTID04
WX Wave	CCWAV01, CCWAV03, CCWAV07, CCWAV10

---

#### Wiley X - Active Lifestyle Series

WX Climb	ACCLM01, ACCLM04, ACCLM09
WX Ignite	ACIGN01, ACIGN09
WX Kobe	ACKOB02, ACKOB04
WX Omega	ACOME01, ACOME04, ACOME06, ACOME08, ACOME12
Slay	ACSLA01, ACSLA04
WX Twisted	SSTWI01, SSTWI08

---

#### Wiley X - Active 6 Series

WX Helix*	AC6HLX01, AC6HLX04, AC6HLX07, AC6HLX09
WX Ovation*	AC6OVN01, AC6OVN07, AC6OVN09, AC6OVN10

---

#### Wiley X - Changeable Series

Romer 3 (2.5mm)	1004, 1006
WX Valor (2.5mm)	CHVAL01, CHVAL06, CHVAL07, CHVAL12
WX Vapor (2.5mm)	3501, 3502, 3508, 3511, 3512
XL-1 Advanced (2.5mm)	291

---

#### Wiley X - Alternative Fit Series

WX Rebel (Alt. Fit)	ACREB01ALT, ACREB08ALT
WX Saint (Alt. Fit)	CHSAI01ALT, CHSAI08ALT
WX Shadow (Alt. Fit)	CCSHA01ALT, CCSHA08ALT
WX Twisted (Alt. Fit)	SSTWI01ALT, SSTWI08ALT

---

#### Wiley X - WorkSight Series

WX Axis*	WSAXI01, WSAXI02, WSAXI03
WX Contour*	WSCON01, WSCON05
WX Epic*	WSEPC01, WSEPC04
WX Fusion*	WSFSN01, WSFSN02, WSFSN03, WSFSN04,
WX Judge*	WSJDG01, WSJDG03, WSJDG04
WX Profile*	WSPRF01, WSPRO03
WX Serenity*	WSSRN04, WSSRN05, WSSRN06
WX Virtue*	WSVRT01, WSVRT02, WSVRT05

---

CSA compliant models continued on next page.

<b>Model</b>	<b>Part Number</b>
<b>DVX Models</b>	
Axon	554263094, 550089586, 550089587
Edge*	ZWEDG01
Intercept	ZWINT01
Mojave	552953448, 554263093
Next	550089555, 550089582
Outline*	ZWOTL01
Static	550089551

---

\*Models are only compliant with CSA Z94.3 when permanent side shields are affixed to the products.

**ASTM D6413-08, ASTM F1790-05, EN 388:2003, NFPA 1971-07 2007**

WILEY X, INC. declares that the following Glove models and their associated sizes and colors are compliant with one or more of the following: **ASTM D6413-08** Flame Resistance of Textiles (Verticle Test), **ASTM F1790-05** Standard Test Method for Measuring Cut Resistance of Materials Used in Protective Clothing, **EN 388:2003** Protective Gloves Against Mechanical Risks and/or **NFPA 1971-07 2007** Protective Ensembles for Structural Fire Fighting and Proximity Fire Fighting.

**Glove Models**

Aries	CAG-1	Hybrid	Orion	Paladin
-------	-------	--------	-------	---------

---

Hybrid and Paladin are compliant with ASTM D6413-08, ASTM F1790-05 and NFPA 1971-07 only.  
Aries and Orion are compliant with ASTM D6413-08, ASTM F1790-05 and NFPA 1971-07 only.

WILEY X, INC. declares the following concerning testing standard for safety eyewear.

Previous Test Standards	Superseded By (Current Specification)
<p><b>ANSI Z87.1-2003 of 19 June 2003</b> American National Standard Occupation and Educational Personal Eye and Face Protection Devices</p>	<p><b>ANSI/ISEA Z87.1-2020 of 11 March 2020</b> American National Standard Occupation and Educational Personal Eye and Face Protection Devices</p>
<p><b>ANSI/ISEA Z87.1-2010 of 13 April 2010</b> American National Standard Occupation and Educational Personal Eye and Face Protection Devices</p>	
<p><b>ANSI/ISEA Z87.1-2015 of 28 May 2015</b> American National Standard Occupation and Educational Personal Eye and Face Protection Devices</p>	
<p><b>MIL-PRF-31013 of 25 April 1996</b> Performance Specification Spectacles, Special Protective Eyewear Cylindrical Systems (SPECS)</p>	<p><b>MIL-PRF-32432A of 11 September 2018</b> Military Combat Eye Protection System (MCEPS)</p>
<p><b>MIL-V-43511C of 16 July 1990</b> Detail Specification Visor's, Flyer's Helmet, Polycarbonate</p>	
<p><b>MIL-DTL-43511D of 12 October 2006</b> Detail Specification Visor's, Flyer's Helmet, Polycarbonate</p>	
<p><b>GL-PD 10-12 of 16 April 2010</b> Military Combat Eye Protection System (MCEPS)</p>	
<p><b>MIL-PRF-32432 of 09 January 2013</b> Military Combat Eye Protection System (MCEPS)</p>	

## Final Declaration

The contents of this document are up to date per the date of issue listed in the Revision History. Any incorrect status of a product or a standard listed in this document is unintentional. All claims and declarations are accurate as outlined in individual product test reports and certificates. All product test reports and certificates are maintained by Wiley X, Inc. at our permanent facility.

A handwritten signature in black ink, appearing to read "Bret M. Bradford".

Bret M. Bradford  
Director of Global Quality; Wiley X, Inc.  
(800) 776-7842 Ext. 418  
[bbradford@wileyx.com](mailto:bbradford@wileyx.com)