



WILEY X

DECLARATIONS OF CONFORMITY

Table of Contents

Revision History 1

Climate Control, Active, Active 6, Women’s, WorkSight Youth Force and Youth Force Sport Series 2

Changeable and Tactical Series 3

Alternative Fit and Black Ops Series 4

Harley Davidson, DVX and John Deere Models 5

Australia and New Zealand Safety Certified Models 6

Canadian Safety Compliant Models..... 8

Glove Models. 9

Authorized Protective Eyewear List (APEL) Models 10

Safety Standards 11

Test Report / Certificate Policy and Final Declaration 12

Revision History

Rev.	Change	Approved By	Date
0	Original Release	Bret Bradford	1/22/2020
1	Added: all frame variants of WX Contour, WX Epic and WX Profile to Canadian Safety Compliant Models DoC	Bret Bradford	1/24/2020
2	Removed: DVX Charge from Canadian Safety Compliant Models DoC	Bret Bradford	1/28/2020
3	Updated: test status of Black Ops items	Bret Bradford	2/6/2020
4	Added: WX Valor, WX Saint, WX Saint Alternative Fit, WX Twisted Alternative Fit and WX Shadow Alternative Fit to Black Ops DoC Added: Lens Variants, *Not all lens variants associated with the part number are certified. † Product is exclusive to Wiley X EMEA. NOTE: Multiple frame colors may be used for each model to Australia and New Zealand Safety Certified Models DoC for clarification on part numbers referenced. Added: CCBOS09, CCBOS12, CCWAV10, ACOME04 and SSTWI01 to CSA Z94.3 DoC.	Bret Bradford	4/1/2020
5	Removed: ASTM D3787-01 and MIL-DTL-81188C from Glove DoC.	Bret Bradford	4/16/2020
6	Changed: ACOME05 to ACOME06	Bret Bradford	6/22/2020
7	Removed: Discontinued items Added: New products Reformatted for ease of use.	Bret Bradford	12/27/2020

WILEY X, INC. declares that the following eyewear models and their associated lens variants

Climate Control Series

AirRage	Brick	WX Gravity	WX Wave
WX Boss	WX Compass	WX Sleek	
WX Breach	WX Enzo	WX Tide	

Active Series

WX Aspect	WX Ignite	WX Omega	WX Twisted
WX Censor	WX Kingpin	P-17	WX Vallus
WX Climb	WX Klein	WX Peak	
WX Contend	WX Kobe	WX Rebel	
WX Hayden	WX Nash	Slay	

Active 6 Series

WX Alfa*	WX Ovation
WX Covert*	WX Trek*
WX Helix	WX Ultra*

Women's Series

WX Affinity	WX Mystique
WX Glory	WX Weekender

Work Sight Series

WX Axis	WX Judge
WX Contour	WX Profile
WX Epic	WX Serenity
WX Fusion	WX Virtue

Youth Force Series

WX Bounce	WX Leap
WX Flip	WX Split

Youth Force Sport Series

WX Agile **	WX Fierce **	WX Gamer **	WX Propulsion †
WX Crush **	WX Flash **	WX Victory **	

are compliant with:

ANSI/ISEA Z87.1

American National Standard Occupational and Educational Personal Eye and Face Protection Devices

US Federal OSHA 1910.133(B)(1)(i)

ANSI/ISEA Z87.1-2010, Occupational and Educational Personal Eye and Face Protection Devices, incorporated by reference in § 1910.6

European Standard EN 166

Personal Eye-Protection Specification

ASTM F803

Standard Specification for Eye Protectors for Selected Sports

BS 5883

Specification for Surface swimming goggles

** Product is exclusive to WX EMEA*

*** Product is only compliant to ASTM F803*

† Product is only compliant to BS 5883

Models compliant to EN 166 are also certified.

WILEY X, INC. declares that the following eyewear models, their associated configurations, and associated lens variants

Changeable and Tactical Series

WX Detection* [‡]	Romer 3* [†]	Spear †	XL-1 Advanced* [†]
Guard Advanced*	Saber Advanced	WX Vapor †	
PT-1	WX Saint*	WX Vapor Comm †	
WX Rogue Comm	SG-1*	WX Valor*	

are compliant with:

ANSI/ISEA Z87.1

American National Standard Occupation and Educational Personal Eye and Face Protection Devices

MIL-PRF-32432(GL) of 9 January 2013

4.4.3.3.4 Ballistic fragmentation protection, Class 1

4.4.3.3.6 Universal Prescription Lens Carrier (UPLC)/adaptors ballistic fragmentation protection Class 1a

MIL-PRF-32432A of 11 September 2018

4.8.4 Ballistic fragmentation protection, Class 1

4.8.5 Ballistic fragmentation protection, Class 2, and Class 3

4.8.6 Universal prescription lens carrier (UPLC)/adaptors ballistic fragmentation protection (Style U only).

US Federal OSHA 1910.133(B)(1)(i)

ANSI/ISEA Z87.1-2010, Occupational and Educational Personal Eye and Face Protection Devices, incorporated by reference in § 1910.6

European Standard EN 166

Personal Eye-Protection Specification

** Product does not accept a Prescription Lens Carrier*

‡ Product does not meet any requirements of MIL-PRF-32432(GL) or MIL-PRF-32432A

† Product is compliant to MIL-PRF-32432A

The products in this declaration are not a part of the Authorized Protective Eyewear List (APEL).

Spear model is categorized as Class 2 goggles.

Models compliant with EN 166 are also certified.

WILEY X, INC. declares that the following eyewear models and their associated lens variants

Alternative Fit Series

WX Rebel	SG-1M	WX Twisted
WX Saint	WX Shadow	

are compliant with:

ANSI/ISEA Z87.1

American National Standard Occupation and Educational Personal Eye and Face Protection Devices

MIL-PRF-32432(GL) of 9 January 2013

4.4.3.3.4 Ballistic fragmentation protection, Class 1

US Federal OSHA 1910.133(B)(1)(i)

ANSI/ISEA Z87.1-2010, Occupational and Educational Personal Eye and Face Protection Devices, incorporated by reference in § 1910.6

WILEY X, INC. declares that the following eyewear models and associated part numbers

Black Ops Series

Model Name	Part Number	Model Name	Part Number
AirRage	694*	P-17	P-17M
WX Breach	CCBRH01	WX Rebel	ACREB01
Brick	854*	WX Rebel (Alt. Fit)	ACREB01ALT, ACREB08ALT
WX Censor	SSCEN08	WX Saint	CHSAI08
WX Climb	ACCLM01	WX Saint (Alt Fit)	CHSAI01ALT, CHSAI08ALT
WX Compass	CCCMP01	WX Shadow (Alt Fit)	CCSHA01ALT, CCSHA08ALT
WX Contend	ACCNT01	Slay	ACSLA01
WX Enzo	CCENZ01	WX Tide	CCTID01*
WX Gravity	CCGRA01, CCGRA08	WX Twisted	SSTWI01, SSTWI08*
WX Ignite	ACIGN01	WX Twisted (Alt Fit)	SSTWI01ALT, SSTWI08ALT
WX Nash	ACNAS01	WX Valor	CHVAL01, CHVAL08
WX Omega	ACOME01*, ACOME08	WX Wave	CCWAV01

are compliant with:

ANSI/ISEA Z87.1

American National Standard Occupation and Educational Personal Eye and Face Protection Devices

MIL-PRF-32432(GL) of 9 January 2013

4.4.3.3.4 Ballistic fragmentation protection, Class 1

US Federal OSHA 1910.133(B)(1)(i)

ANSI/ISEA Z87.1-2010, Occupational and Educational Personal Eye and Face Protection Devices, incorporated by reference in § 1910.6

European Standard EN 166

Personal Eye-Protection Specification

**Product does not meet any requirements of MIL-PRF-32432(GL)
Models compliant with EN 166 are also certified.*

WILEY X, INC. declares that the following Harley Davidson, DVX and John Deere eyewear models and their associated lens variants

Harley Davidson Models

Climate Control Series

HD Curve	HD Jet	HD Rage-X	HD Tunnel
HD Gem	HD Journey	HD Shadow (Alt. Fit)	
HD Gravity	HD Jumbo	HD Tank	

Asphalt Series

HD 4 Stroke	HD Cruise 2	HD Keys	HD Slick
HD Baffle	HD Drag	HD Kicker	HD Tat
HD Bend	HD Drive 2	HD Pipes	HD Tori
HD Burnout	HD Hoops	HD Silencer	HD Twin

DVX Models

Axon*	Intercept*	Oculus*	Static*
Charge*	Mojave*	Outline*	
Detour*	Next*	Rage*	
Edge*	Noise*	Spoiler*	

John Deere Models

Avert*	Hitch*	Torque*
Drill*	Inspire*	Traction*
Force*	Pivot*	Turf*

are compliant with:

ANSI/ISEA Z87.1-2015 of 28 May 2015

American National Standard Occupational and Educational Personal Eye and Face Protection Devices

US Federal OSHA 1910.133(B)(1)(i)

ANSI/ISEA Z87.1-2010, Occupational and Educational Personal Eye and Face Protection Devices, incorporated by reference in § 1910.6

European Standard EN 166

Personal Eye-Protection Specification

**Product is not compliant to EN 166
Models compliant with EN 166 are also certified.*

WILEY X, INC. declares that the following eyewear and goggle models, their associated part numbers and lens variants

Australia and New Zealand Safety Certified Models

Model	Part Number	Lens Variants
WX Gravity	CCGRA01	Smoke Grey
	CCGRA03	Clear
	CCGRA05	Light Adjusting Smoke
WX Omega	ACOME01	Smoke Grey
	ACOME06	Polarized Platinum Flash
WX Rogue Comm	2851	Smoke Grey, Clear
	2852*	Smoke Grey, Clear
	2853†	Clear
Romer 3	1004	Smoke Grey, Clear
	1006*	Smoke Grey, Clear
Saber Advanced	300	Pale Yellow
	302	Smoke Grey
	303	Clear
	306*†	Smoke Grey
	307	Smoke Grey, Clear
	308*	Smoke Grey, Clear
	309*	Smoke Grey
	315	Smoke Grey, Clear
	317†	Smoke Grey, Clear
Spear	SP29B	Smoke Grey, Clear
	SP293B*	Smoke Grey, Clear
	SP29T	Smoke Grey, Clear
	SP293T*	Smoke Grey, Clear
WX Twisted	SSTWI01	Smoke Grey
	SSTWI08	Polarized Smoke Grey

Australia and New Zealand certified models continued to the next page

Australia and New Zealand Safety Certified Models

Model	Part Number	Lens Variants
WX Valor	CHVAL01	Smoke Grey
	CHVAL06*	Smoke Grey, Clear
	CHVAL07	Smoke Grey, Clear
	CHVAL08	Polarized Smoke Grey
	CHVAL11 †	Clear
	CHVAL12	Polarized Smoke Grey
<hr/>		
WX Vapor	3501	Smoke Grey, Clear
	3502	Smoke Grey, Clear
	3508	Polarized Smoke Grey
	3511	Smoke Grey, Clear
	3512	Smoke Grey, Clear
<hr/>		
XL-1	291	Smoke Grey, Clear
	292*†	Smoke Grey, Clear
<hr/>		
WX Wave	CCWAV01	Smoke Grey
	CCWAV03	Clear
<hr/>		

are certified to:

AS/NZS 1337.1:2010 of 28 June 2010

Australian/New Zealand Standard Personal eye protection Part 1: Eye and face protectors for occupational applications

**Not all lens variants associated with the part number are certified.*

† Product is exclusive to Wiley X EMEA.

Multiple frame colors may be used for each model.

WILEY X, INC. declares that the following eyewear models, their associated part numbers or lens variants

Canadian Safety Compliant Models

Wiley X Models

Model	Part Number
AirRage	693, 694, 698
WX Axis	WSAXI01, WSAXI02, WSAXI03
WX Boss	CCBOS01, CCBOS03, CCBOS03D, CCBOS06, CCBOS09, CCBOS12
WX Breach	CCBRH01, CCBRH03, CCBRH04, CCBRH12
WX Climb	ACCLM01, ACCLM04, ACCLM09
WX Contour	WSCON01, WSCON05
WX Epic	WSEPC01, WSEPC04
WX Fusion	WSFSN01, WSFSN02, WSFSN03, WSFSN04,
WX Ignite	ACIGN01, ACIGN09
WX Judge	WSJDG01, WSJDG03, WSJDG04
WX Kobe	ACKOB02, ACKOB04
WX Nash	ACNAS01
WX Omega	ACOME01, ACOME04, ACOME06, ACOME08, ACOME12
WX Profile	WSPRF01, WSPRO03
WX Rebel (Alt. Fit)	ACREB01ALT, ACREB08ALT
Romer 3	1004, 1006
WX Saint (Alt. Fit)	CHSAI01ALT, CHSAI08ALT
WX Serenity	WSSRN04, WSSRN05, WSSRN06
WX Shadow (Alt. Fit)	CCSHA01ALT, CCSHA08ALT
Slay	ACSLA01, ACSLA04
WX Sleek	CCSLE01, CCSLE02, CCSLE03
WX Tide	CCTID01, CCTID04
WX Twisted	SSTWI01, SSTWI08
WX Twisted (Alt. Fit)	SSTWI01ALT, SSTWI08ALT
WX Vapor	3501, 3502, 3508, 3511, 3512
WX Virtue	WSVRT01, WSVRT02, WSVRT05
WX Wave	CCWAV01, CCWAV03, CCWAV07, CCWAV10
XL-1	291

Canadian Safety compliant models continued to the next page

Canadian Safety Compliant Models

DVX Models

Model	Part Number
Axon*	554263094, 550089586, 550089587
Edge*	ZWEDG01
Intercept*	ZWINT01
Mojave*	552953448, 554263093
Next*	550089555, 550089582
Outline*	ZWOTL01
Static*	550089551

are compliant with:

CSA Z94.3

Eye and face protectors

WILEY X, INC. declares that the following Glove models and their associated sizes and colors

Glove Models

APX*	CAG-1	Hybrid	Paladin
Aries	Durtac*	Orion	

are compliant with one or more of the following standards and as noted below:

ASTM D6413-08 of 11 June 2009

Flame Resistance of Textiles (Verticle Test)

ASTM F1790-05 of 01 January 2005

Standard Test Method for Measuring Cut Resistance of Materials Used in Protective Clothing

EN 388:2003 of 25 September 2003

Protective Gloves Against Mechanical Risks

NFPA 1971-07 2007

Protective Ensembles for Structural Fire Fighting and Proximity Fire Fighting

**Products are not subject to and have not been tested to the standards outlined in this declaration.
Hybrid and Paladin are compliant with ASTM D6413-08, ASTM F1790-05 and NFPA 1971-07 only.
Aries and Orion are compliant with ASTM D6413-08, ASTM F1790-05 and NFPA 1971-07 only.*

WILEY X, INC. declares that the following eyewear and goggle models, and their associated part numbers are included on the Authorized Protective Eyewear List (APEL)

Authorized Protective Eyewear List (APEL) Models

Model Name	Part Number
WX Valor*	CH4701
WX Vapor (small)	CH3401
WX Vapor (medium)	CH3501
WX Vapor (large)	CH3601
Spear	SP30T
Spear (thermal)	SP30DLT
Nerve*	R-8052T

and are compliant with:

ANSI/ISEA Z87.1

American National Standard Occupational and Educational Personal Eye and Face Protection Devices

MIL-PRF-32432A of 11 September 2018

Military Combat Eye Protection System (MCEPS)

US Federal OSHA 1910.133(B)(1)(i)

ANSI/ISEA Z87.1-2010, Occupational and Educational Personal Eye and Face Protection Devices, incorporated by reference in § 1910.6

**Product does not accept a Prescription Lens Carrier
APEL models are not available to commercial markets.*

WILEY X, INC. declares the following concerning testing standard for safety eyewear.

Previous Test Standards	Superseded By (Current Specification)
ANSI Z87.1-2003 of 19 June 2003 American National Standard Occupation and Educational Personal Eye and Face Protection Devices	ANSI/ISEA Z87.1-2020 of 11 March 2020 American National Standard Occupation and Educational Personal Eye and Face Protection Devices
ANSI/ISEA Z87.1-2010 of 13 April 2010 American National Standard Occupation and Educational Personal Eye and Face Protection Devices	
ANSI/ISEA Z87.1-2015 of 28 May 2015 American National Standard Occupation and Educational Personal Eye and Face Protection Devices	
MIL-PRF-31013 of 25 April 1996 Performance Specification Spectacles, Special Protective Eyewear Cylindrical Systems (SPECS)	MIL-PRF-32432A of 11 September 2018 Military Combat Eye Protection System (MCEPS)
MIL-V-43511C of 16 July 1990 Detail Specification Visor's, Flyer's Helmet, Polycarbonate	
MIL-DTL-43511D of 12 October 2006 Detail Specification Visor's, Flyer's Helmet, Polycarbonate	
GL-PD 10-12 of 16 April 2010 Military Combat Eye Protection System (MCEPS)	
MIL-PRF-32432 of 09 January 2013 Military Combat Eye Protection System (MCEPS)	

Test Report / Certificate Policy and Final Declaration

The contents of this document are up to date per the date of issue listed in the Revision History. Any incorrect status of a product or a standard listed in this document is unintentional. All claims and declarations are accurate as outlined in individual product test reports and certificates. All product test reports and certificates are maintained by Wiley X, Inc. at our permanent facility. Wiley X, Inc. does not send out original or copied test reports. Any party with a legitimate business reason may examine the reports by making an appointment with the Wiley X, Inc. Director of Global Quality.



Bret M. Bradford
Director of Global Quality; Wiley X, Inc.
(800) 776-7842 Ext. 418
bbradford@wileyx.com