

# **DECLARATIONS OF CONFORMITY**

# **Table of Contents**

Revision History	2
ANSI Z87.1 Compliant Models	3
ASTM F803 Compliant Models	4
3S 5883 Compliant Models	4
MIL-PRF-32432(GL) Compliant Models	5
MIL-PRF-32432A Compliant Models	6
CE Category I Personal Protective Equipment (EN 166 & UKCA) Compliant Models	7
CE Category II Personal Protective Equipment (EN 166 & UKCA) Certified Models	8
AS/NZS 1337.1 Certified Models	9
Consumer Goods (Sunglasses and Fashion Spectacles) Safety Standard 2017 (Australia)	10
CSA Z94.3 Compliant Models	11
ASTM D6413-08, ASTM F1790-05, EN 388:2003, NFPA 1971-07 2007 Compliant Models	13
Safety Standards	14
Final Declaration	15

# **Revision History**

Rev.	Change	Approved By	Date
0	Original Release	Bret Bradford	1/22/2020
1	Added: all frame variants of WX Contour, WX Epic and WX Profile to Canadian Safety Compliant Models DoC	Bret Bradford	1/24/2020
2	Removed: DVX Charge from Canadian Safety Compliant Models DoC	Bret Bradford	1/28/2020
3	Updated: test status of Black Ops items	Bret Bradford	2/6/2020
4	Added: WX Valor, WX Saint, WX Saint Alternative Fit, WX Twisted Alternative Fit and WX Shadow Alternative Fit to Black Ops DoC  Added: Lens Variants, *Not all lens variants associated with the part number are certified. † Product is exclusive to Wiley X EMEA. NOTE: Multiple frame colors may be used for each model to Australia and New Zealand Safety Certified Models DoC for clarification on part numbers referenced.  Added: CCBOS09, CCBOS12, CCWAV10, ACOME04 and SSTWI01 to CSA Z94.3 DoC.	Bret Bradford	4/1/2020
5	Removed: ASTM D3787-01and MIL-DTL-81188C from Glove DoC.	Bret Bradford	4/16/2020
6	Changed: ACOME05 to ACOME06	Bret Bradford	6/22/2020
7	Removed: Discontinued items Added: New products Reformatted for ease of use.	Bret Bradford	12/27/2020
8	Added: CCGRA03 and CCGRA05 to Black Ops ballistic.	Bret Bradford	7/28/2021
9	Added: HD Cogs and HD Gears to Harley Davidson	Bret Bradford	9/3/2021
10	Reorganized document to separate by testing standard and Certification status	Bret Bradford	9/10/2021
11	Added: Models are only compliant with CSA Z94.3 when permanent side shields are affixed to the products.	Bret Bradford	9/29/2021
12	Added: WX Valor (2.5mm) to MIL-PRF-32432A declaration	Bret Bradford	11/22/2021
13	Added: WX Nash to CSA declaration	Bret Bradford	12/21/2021
14	Added: New products Removed: Discontinued products	Bret Bradford	3/2/2022
15	Added: Nerve	Bret Bradford	3/18/2022
16	Added: Saber, Affinity, Breach, Gravity, Kingpin, Mystique, Omega and Weekender to Consumer Good section	Bret Bradford	4/13/2022

# **ANSI Z87.1**

WILEY X, INC. declares that the following eyewear models and their associated lens variants are compliant with **ANSI Z87.1** American National Standard Occupation and Educational Personal Eye and Face Protection Devices and **US Federal OSHA 1910.133(a)**.

Wiley X - Clima	ite Control Series	<b>;</b>			
AirRage	WX Boss	WX Breach	Brick	WX Enzo	WX Gravity
WX Grid	WX Ozone	WX Sleek	WX Tide		
Wiley X - Activ	e Lifestyle Series				
WX Aspect	WX Censor	WX Climb	WX Contend	WX Ignite	WX Kingpin
WX Kobe	WX Nash	WX Omega	P-17	WX Kobe	WX Peak
WX Rebel	Slay	WX Twisted			
Wiley X - Active	e 6 Series				
WX Alfa	WX Covert	WX Helix	WX Ovation	WX Trek	WX Ultra
Wiley X - Wom	en's Series				
WX Affinity	WX Glory	WX Mystique	WX Weekender		
Wiley X - Chan	geable Series				
WX Detection	Guard Advanced	PT-1	WX Romer 3	Saber Advanced	WX Saint
WX Valor (2.5mm)	WX Vapor (2.5mm)	WX Vapor Comm (2.5mm)	XL-1 Advanced (2.5mm)	XL-1 Advanced Comm (2.5mm)	
Wiley X - Alterr	native Fit Series				
WX Rebel	WX Saint	SG-1M	WX Shadow	WX Twisted	
Wiley X - Work	Sight Series				
WX Axis	WX Chase	WX Contour	WX Epic	WX Fusion	WX Judge
WX Profile	WX Serenity	WX Virtue			
Wiley X - Taction	cal Series				
Nerve	SG-1	Spear	Spear Dual		
DVX					
Axon	Charge	Detour	Edge	Intercept	Mojave
Next	Noise	Oculus	Outline	Rage	Spoiler
Static					
Harley Davidso	on - Climate Cont	rol Series			
HD Cogs	HD Curve	HD Gem	HD Gravity	HD Jet	HD Journey
HD Jumbo	HD Rage-X	HD Shadow	HD Tank	HD Tunnel	•
Harley Davidso	on - Asphalt Serie	s			
HD 4 Stroke	HD Baffle	HD Bend	HD Burnout	HD Cruise 2	HD Drag
HD Drive 2	HD Gears	HD Hoops	HD Keys	HD Kicker	HD Pipes
HD Silencer	HD Slick	HD Tat	HD Tori	HD Twin	•

# **ASTM F803**

WILEY X, INC. declares that the following eyewear models and their associated lens variants are compliant with **ASTM F803** Standard Specification for Eye Protectors for Selected Sports.

# Wiley X - Youth Force Sport Series

WX Agile WX Crush WX Fierce WX Flash WX Gamer WX Swift WX Victory

### **BS 5883**

WILEY X, INC. declares that the following eyewear models and their associated lens variants are compliant with **BS 5883** Specification for Surface swimming goggles.

# Wiley X - Youth Force Sports Series

WX Propulsion

#### MIL-PRF-32432(GL)

WILEY X, INC. declares that the following eyewear models and their associated lens variants are compliant with **4.4.3.3.4** Ballistic fragmentation protection, Class 1, **4.4.3.3.5** Ballistic fragmentation protection, Class 2, and Class 3, or **4.4.3.3.6** Universal Prescription Lens Carrier (UPLC)/adaptors ballistic fragmentation protection Class 1a, Class 2a and Class 3a of **MIL-PRF-32432(GL)** Performance Specification Military Combat Eye Protection (MCEP) System of 9 January 2013.

## Wiley X - Black Ops Collection

Model Name	Part Number
WX Breach	CCBRH01
WX Enzo	CCENZ01
WX Gravity	CCGRA01, CCGRA03, CCGRA05, CCGRA08
WX Grid	CCGRD01
WX Censor	SSCEN08
WX Contend	ACCNT01
WX Ignite	ACIGN01
WX Nash	ACNAS01
WX Omega	ACOME08
P-17	P-17M
WX Rebel	ACREB01
Slay	ACSLA01
WX Twisted	SSTWI01
WX Rebel (Alt. Fit)	ACREB01ALT, ACREB08ALT
WX Saint (Alt Fit)	CHSAI01ALT, CHSAI08ALT
WX Shadow (Alt Fit)	CCSHA01ALT, CCSHA08ALT
WX Twisted (Alt Fit)	SSTWI01ALT, SSTWI08ALT
WX Saint	CHSAI08
WX Valor (2.2mm)	CHVAL01, CHVAL08

#### Wiley X - Changeable Series

WX Guard Adv. PT-1\* Saber Advanced\* WX Saint

### Wiley X - Tactical Series

SG-1

<sup>\*</sup>Models are compliant with 4.4.3.3.6 Universal Prescription Lens Carrier (UPLC)/adaptors ballistic fragmentation protection Class 1a, Class 2a and Class 3a, utilizing PTX RX Carrier

<sup>\*\*</sup> Models are compliant with 4.4.3.3.5 Ballistic fragmentation protection, Class 2 and Class 3, or 4.4.3.3.6 Universal Prescription Lens Carrier (UPLC)/adaptors ballistic fragmentation protection Class 1a, Class 2a and Class 3a, utilizing PTX RX Carrier

#### MIL-PRF-32432A

WILEY X, INC. declares that the following eyewear models and their associated lens variants are compliant with 4.8.4 Ballistic fragmentation protection, Class 1, 4.8.5 Ballistic fragmentation protection, Class 2, and Class 3 or 4.8.6 Universal prescription lens carrier (UPLC)/adaptors ballistic fragmentation protection (Style U only) of MIL-PRF-32432(A) Performance Specification Military Combat Eye Protection (MCEP) System of 11 September 2018.

#### Wiley X - Black Ops Collection

Model Name Part Number
WX Climb ACCLM01

WX Ozone CCOZN03, CCOZN06, CCOZN08

WX Valor (2.5mm)\* CHVAL01, CHVAL08

# Wiley X - Changeable Series

Romer 3	WX Vapor	WX Vapor	XL-1 Advanced	XL-1 Advanced	WX Valor
(2.5mm) ** <del> </del>	(2.5mm)* <del> </del>	Comm (2.5mm)*1	(2.5mm) ** <del> </del>	Comm (2.5mm)**†	(2.5mm) ** <del> </del>

#### Wiley X - Tactical Series

Nerve Spear\*ł Spear Dual\*ł

<sup>\*</sup> Models are compliant with 4.4.3.3.6 Universal Prescription Lens Carrier (UPLC)/adaptors ballistic fragmentation protection Class 1a, Class 2a and Class 3a, utilizing Twistlock RX Carrier

<sup>\*\*</sup> Models are compliant with 4.8.4 Ballistic fragmentation protection, Class 1

Hodels are compliant with all Optical and Environmental requirements of MIL-PRF-32432A.

# **CE Category I Personal Protective Equipment (EN 166 and UKCA Compliant)**

WILEY X, INC. declares that the following eyewear models and their associated lens variants are compliant with European Standard **EN 166** Personal Eye-Protection Specification and **UKCA** (UK Conformity Assessed).

# Wiley X - Climate Control Series

WX Grid WX Ozone

Wiley X - Active 6 Series

WX Alfa WX Covert WX Helix WX Ovation WX Ultra WX Trek

# Wiley X - WorkSight Series

WX Chase

# **CE Category II Personal Protective Equipment (EN 166 and UKCA Certified)**

WILEY X, INC. declares that the following eyewear models and their associated lens variants are CE certified to European Standard **EN 166** Personal Eye-Protection Specification and **UKCA** (UK Conformity Assessed).

Wilev X - Climate Control Serie
---------------------------------

WX Boss	WX Breach	WX Gravity	WX Tide		
Wiley X - Active	e Lifestyle Series	<b>3</b>			
WX Aspect	WX Climb	WX Contend	WX Kingpin	WX Omega	WX Peak
Wiley X - Wome	en's Series				
WX Affinity	WX Mystique	WX Weekender			
Wiley X - Chang	geable Series				
WX Detection	WX Rogue Comm	Saber Advanced	WX Saint	WX Valor (2.5mm)	WX Vapor (2.5mm)
WX Vapor Comm (2.5mm)	XL-1 Advanced Comm (2.5mm)				
Wiley X - Goggle Series					
Nerve	Spear	Spear Dual			
Harley Davidso	Harley Davidson - Climate Control Series				
HD Cogs	HD Gem	HD Gravity	HD Jet	HD Journey	HD Jumbo
HD Rage-X	HD Tank	HD Tunnel			
Harley Davidson - Asphalt Series					
HD 4 Stroke	HD Baffle	HD Bend	HD Burnout	HD Cruise 2	HD Drag
HD Drive 2	HD Gears	HD Hoops	HD Keys	HD Kicker	HD Silencer
HD Slick	HD Tat	HD Tori	HD Twin		

#### **AS/NZS 1337.1**

WILEY X, INC. declares that the following eyewear models and their associated lens variants are certified to **AS/NZS 1337.1** Australian/New Zealand Standard Personal eye protection Part 1: Eye and face protectors for occupational applications.

Model Lens Variants

Wiley X - Climate Control Series

WX Gravity Clear, Smoke Grey, Light Adjusting Smoke Grey

Wiley X - Active Lifestyle Series

WX Climb

Smoke Grey, Captivate Polarized Red Mirror, Captivate Polarized Blue Mirror, Captivate

Polarized Bronze Mirror

WX Omega Smoke Grey, Polarized Crimson Mirror, Polarized Platinum Flash

WX Twisted Smoke Grey. Polarized Smoke Grey

Wiley X - Active 6 Series

WX Helix Smoke Grey, Captivate Polarized Green Mirror, Captivate Polarized Blue Mirror,

Captivate Polarized Bronze Mirror

WX Ovation Smoke Grey, Captivate Polarized Green Mirror, Captivate Polarized Blue Mirror,

Captivate Polarized Rose Gold Mirror

Wiley X - Changeable Series

Saber Advanced Clear, Smoke Grey, Yellow

WX Rogue Comm (2.2mm)

Clear, Smoke Grey

Romer 3 (2.2mm)

Clear, Smoke Grey

Clear, Smoke Grey

Clear, Smoke Grey

WX Valor (2.2mm) Clear, Smoke Grey, Polarized Smoke Grey
WX Valor (2.5mm) Clear, Smoke Grey, Polarized Smoke Grey
WX Vapor (Medium 2.2mm) Clear, Smoke Grey, Polarized Smoke Grey

WX Vapor (Medium 2.5mm) Clear, Smoke Grey, Yellow. Polarized Smoke Grey

XL-1 Advanced (2.2mm) Clear, Smoke Grey
XL-1 Advanced (2.5mm) Clear, Smoke Grey

Wiley X - Tactical Series

Spear Clear, Smoke Grey
Spear (Stainless Steel Vents) Clear, Smoke Grey

# Consumer Goods (Sunglasses and Fashion Spectacles) Safety Standard 2017 (Australia)

WILEY X, INC. declares that the following eyewear models, their associated part numbers are compliant with Consumer Goods (Sunglasses and Fashion Spectacles) Safety Standard 2017 (Australia).

# Wiley X - Climate Control Series

WX Breach WX Gravity WX Grid WX Ozone

Wiley X - Active Lifestyle Series

WX Kingpin WX Omega

Wiley X - Active 6 Series

WX Alfa WX Covert WX Trek WX Ultra

Wiley X - Women's Series

WX Affinity WX Mystique WX Weekender

Wiley X - Changeable Series

Saber Advanced

Wiley X - WorkSight Series

WX Chase

#### **CSA Z94.3**

WILEY X, INC. declares that the following eyewear models, their associated part numbers are compliant with **CSA Z94.3** National Standard of Canada Eye and Face Protectors.

### Wiley X - Climate Control Series

AirRage 692, 693, 694

WX Boss CCBOS03, CCBOS03D, CCBOS06, CCBOS09, CCBOS12

WX Breach CCBRH01, CCBRH03, CCBRH04, CCBRH12
WX Grid CCGRD01, CCGRD03, CCGRD07, CCGRD08
WX Ozone CCOZN03, CCOZN06, CCOZN09

WX Sleek CCSLE01, CCSLE02, CCSLE03

WX Tide CCTID01

#### Wiley X - Active Lifestyle Series

WX Climb ACCLM01, ACCLM04, ACCLM09

WX Ignite ACIGN01
WX Kobe ACKOB02
WX Nash ACNAS01

WX Omega ACOME01, ACOME04, ACOME08, ACOME13, ACOME22

Slay ACSLA01, ACSLA14

WX Twisted SSTWI01, SSTWI09, SSTWI18

#### Wiley X - Active 6 Series

WX Helix\* AC6HLX01, AC6HLX04, AC6HLX07, AC6HLX09
WX Ovation\* AC6OVN01, AC6OVN07, AC6OVN09, AC6OVN10
WX Alfa\* AC6ALF09, AC6ALF09, AC6ALF18

WX Covert\* AC6CVT09, AC6CVT10

WX Trek\* AC6TRK06, AC6TRK07, AC6TRK09, AC6TRK18

WX Ultra\* AC6ULT06, AC6ULT10

# Wiley X - Changeable Series

Romer 3 (2.5mm) 1004, 1006

WX Valor (2.5mm) CHVAL01, CHVAL06, CHVAL07, CHVAL08

WX Vapor (2.5mm) 3501, 3502

XL-1 Advanced (2.5mm) 291

## Wiley X - Alternative Fit Series

WX Rebel (Alt. Fit)

WX Saint (Alt. Fit)

WX Shadow (Alt. Fit)

WX Twisted (Alt. Fit)

ACREB01ALT, ACREB08ALT

CHSAI01ALT, CHSAI08ALT

CCSHA01ALT, CCSHA08ALT

WX Twisted (Alt. Fit)

SSTWI01ALT, SSTWI08ALT

CSA compliant models continued on next page.

# Wiley X - WorkSight Series

WX Axis\* WSAXI01, WSAXI03

WX Chase\* WSCHS01, WSCHS02, WSCHS03

WX Contour\* WSCON01, WSCON05
WX Epic\* WSEPC01, WSEPC04

WX Fusion\* WSFSN01

WX Judge\* WSJDG01, WSJDG03, WSJDG04

WX Profile\* WSPRF01

WX Serenity\* WSSRN04, WSSRN05, WSSRN06
WX Virtue\* WSVRT01, WSVRT02, WSVRT05

### **DVX Models**

Axon 554263094, 550089586, 550089587

Edge\* ZWEDG01 Intercept ZWINT01

Mojave 552953448, 554263093 Next 550089555, 550089582

Outline\* ZWOTL01
Static 550089551

<sup>\*</sup>Models are only compliant with CSA Z94.3 when permanent side shields are affixed to the products.

## ASTM D6413-08, ASTM F1790-05, EN 388:2003, NFPA 1971-07 2007

WILEY X, INC. declares that the following Glove models and their associated sizes and colors are compliant with one or more of the following: **ASTM D6413-08** Flame Resistance of Textiles (Verticle Test), **ASTM F1790-05** Standard Test Method for Measuring Cut Resistance of Materials Used in Protective Clothing, **EN 388:2003** Protective Gloves Against Mechanical Risks and/or **NFPA 1971-07 2007** Protective Ensembles for Structural Fire Fighting and Proximity Fire Fighting.

### **Glove Models**

Aries	CAG-1	Hybrid	Orion	Paladin

Hybrid and Paladin are compliant with ASTM D6413-08, ASTM F1790-05 and NFPA 1971-07 only. Aries and Orion are compliant with ASTM D6413-08, ASTM F1790-05 and NFPA 1971-07 only.

Previous Test Standards	Superseded By (Current Specification)
ANSI Z87.1-2003 of 19 June 2003 American National Standard Occupation and Educational Personal Eye and Face Protection Devices	
ANSI/ISEA Z87.1-2010 of 13 April 2010 American National Standard Occupation and Educational Personal Eye and Face Protection Devices	ANSI/ISEA Z87.1-2020 of 11 March 2020 American National Standard Occupation and Educational Personal Eye and Face Protection Devices
ANSI/ISEA Z87.1-2015 of 28 May 2015 American National Standard Occupation and Educational Personal Eye and Face Protection Devices	
MIL-PRF-31013 of 25 April 1996 Performance Specification Spectacles, Special Protective Eyewear Cylindrical Systems (SPECS)	
MIL-V-43511C of 16 July 1990 Detail Specification Visor's, Flyer's Helmet, Polycarbonate	MIL-PRF-32432A of 11 September 2018 Military Combat Eye Protection System (MCEPS
MIL-DTL-43511D of 12 October 2006 Detail Specification Visor's, Flyer's Helmet, Polycarbonate	
GL-PD 10-12 of 16 April 2010 Military Combat Eye Protection System (MCEPS)	
MIL-PRF-32432 of 09 January 2013 Military Combat Eye Protection System (MCEPS)	

### **Final Declaration**

The contents of this document are up to date per the date of issue listed in the Revision History. Any incorrect status of a product or a standard listed in this document is unintentional. All claims and declarations are accurate as outlined in individual product test reports and certificates. All product test reports and certificates are maintained by Wiley X, Inc. at our permanent facility.

Bret M. Bradford

Director of Global Quality; Wiley X, Inc.

bbradford@wileyx.com